

Vierkantstangen

Notes:

* The weight of each profile is calculated by measuring it's cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.


*** Radii less than 1mm are not stated.

* **Additional charge**

A = Width

A = Height

r = Corner radius



Profile Code	A (mm)	r^(***) (mm)			Area Flaeche (mm²)	Weight Gewicht (Kg/m)
01-0015	6		*		36	0,10
01-0014	8				64	0,17
01-0017	10				100	0,27
01-0009	12				144	0,39
01-0001	15				225	0,61
01-0016	16				256	0,69
01-0013	18				324	0,87
01-0002	20				400	1,08
01-0003	25				625	1,69
01-0004	30				900	2,43
01-0010	35				1225	3,31
01-0005	40				1600	4,32
01-0011	45				2025	5,47
01-0006	50				2500	6,75
01-0008	55				3025	8,17
01-0007	60				3600	9,72
01-0061	61				3721	10,05

Rectangular bars (Flat bars)



P. KOUTSOTHANASSIS & CO
 TRADE & IMPORT OF IRON - METALS
 WIRES - ELECTRODES - CABLES - WHEELS

ALUMINIUM

standard

Rechteckstangen (Flachstangen)

Notes:

* The weight of each profile is calculated by measuring it's cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.


*** Radii less than 1mm are not stated.

* Additional charge

A = Width

B = Height

r = Corner radius



Profile Code	A (mm)	B (mm)	r ^(***) (mm)		Area Flaeche (mm ²)	Weight Gewicht (Kg/m)
02-0152	10	2		*	20	0,05
02-0135	10	5			50	0,14
02-0134	10	8			80	0,22
02-0155	12	4			48	0,13
02-0150	15	2		*	30	0,08
02-0000	15	3			45	0,12
02-0001	15	5			75	0,20
02-0106	15	8			120	0,32
02-0138	15	12			180	0,49
02-0139	18	2,5			45	0,12
02-0002	20	2			40	0,11
02-0003	20	3			60	0,16
02-0004	20	4			80	0,22
02-0005	20	5			100	0,27
02-0129	20	6			120	0,32
02-0006	20	8			160	0,43
02-0007	20	10			200	0,54
02-0097	20	12			240	0,65
02-0105	20	15			300	0,81
02-0008	25	2			50	0,14
02-0009	25	3			75	0,20
02-0103	25	4			100	0,27
02-0089	25	5			125	0,34
02-0124	25	6			150	0,41
02-0112	25	8			200	0,54
02-0027	25	10			250	0,68
02-0126	25	12			300	0,81
02-0113	25	15			375	1,01
02-0028	25	20			500	1,35
02-0010	30	2			60	0,16
02-0011	30	3			90	0,24
02-0012	30	4			120	0,32
02-0013	30	5			150	0,41
02-0014	30	6			180	0,49
02-0015	30	8			240	0,65
02-0026	30	10			300	0,81
02-0029	30	15			450	1,22

Profile Code	A (mm)	B (mm)	r^(***) (mm)	Area Flaeche (mm²)	Weight Gewicht (Kg/m)
02-0110	30	12		360	0,97
02-0030	30	20		600	1,62
02-0031	30	25		750	2,03
02-0148	35	3		105	0,28
02-0102	35	4		140	0,38
02-0164	35	5		175	0,47
02-0114	35	8		280	0,76
02-0107	35	10		350	0,95
02-0147	35	12		420	1,13
02-0130	35	15		525	1,42
02-0016	40	2		80	0,22
02-0017	40	3		120	0,32
02-0018	40	4		160	0,43
02-0019	40	5		200	0,54
02-0020	40	6		240	0,65
02-0032	40	8		320	0,86
02-0033	40	10		400	1,08
02-0111	40	12		480	1,30
02-0034	40	15		600	1,62
02-0035	40	20		800	2,16
02-0108	40	25		1000	2,70
02-0122	40	30		1200	3,24
02-0169	45	3		135	0,36
02-0158	45	8		360	0,97
02-0167	45	15		675	1,82
02-0021	50	2		100	0,27
02-0036	50	3		150	0,41
02-0022	50	4		200	0,54
02-0023	50	5		250	0,68
02-0037	50	6		300	0,81
02-0038	50	8		400	1,08
02-0039	50	10		500	1,35
02-0116	50	12		600	1,62
02-0040	50	15		750	2,03
02-0151	50	18		900	2,43
02-0041	50	20		1000	2,70
02-0099	50	25		1250	3,38
02-0091	50	30		1500	4,05
02-0125	50	40		2000	5,40
02-0024	60	2		120	0,32
02-0025	60	3		180	0,49
02-0090	60	4		240	0,65
02-0042	60	5		300	0,81
02-0043	60	6		360	0,97
02-0044	60	8		480	1,30
02-0045	60	10		600	1,62
02-0123	60	12		720	1,94
02-0046	60	15		900	2,43
02-0047	60	20		1200	3,24
02-0048	60	25		1500	4,05
02-0049	60	30		1800	4,86

Profile Code	A (mm)	B (mm)	r^(***) (mm)		Area Flaeche (mm²)	Weight Gewicht (Kg/m)
02-0050	60	40			2400	6,48
02-0159	65	5			325	0,88
02-0140	70	3			210	0,57
02-0104	70	4			280	0,76
02-0133	70	5			350	0,95
02-0131	70	6			420	1,13
02-0115	70	8			560	1,51
02-0051	70	10			700	1,89
02-0121	70	15			1050	2,84
02-0160	70	18			1260	3,40
02-0141	70	20			1400	3,78
02-0149	70	25			1750	4,73
02-0127	70	30			2100	5,67
02-0156	70	40			2800	7,56
02-0101	75	5			375	1,01
02-0109	75	10			750	2,03
02-0094	80	2			160	0,43
02-0098	80	3			240	0,65
02-0095	80	4			320	0,86
02-0052	80	5			400	1,08
02-0053	80	6			480	1,30
02-0054	80	8			640	1,73
02-0055	80	10			800	2,16
02-0117	80	12			960	2,59
02-0056	80	15			1200	3,24
02-0057	80	20			1600	4,32
02-0120	80	25			2000	5,40
02-0100	80	30			2400	6,48
02-0093	80	40			3200	8,64
02-0058	80	50			4000	10,80
02-0142	90	4			360	0,97
02-0137	90	5			450	1,22
02-0168	90	8			720	1,94
02-0154	90	10			900	2,43
02-0128	90	15			1350	3,65
02-0059	100	4			400	1,08
02-0060	100	5			500	1,35
02-0061	100	6			600	1,62
02-0062	100	8			800	2,16
02-0063	100	10			1000	2,70
02-0132	100	12			1200	3,24
02-0064	100	15			1500	4,05
02-0065	100	20			2000	5,40
02-0143	100	25			2500	6,75
02-0066	100	30			3000	8,10
02-0067	100	40			4000	10,80
02-0068	100	50			5000	13,50
02-0162	110	10			1100	2,97
02-0157	120	3			360	0,97
02-0070	120	5			600	1,62
02-0165	120	6			720	1,94

Profile Code	A (mm)	B (mm)	r^(***) (mm)	Area Flaeche (mm²)	Weight Gewicht (Kg/m)
02-0071	120	8		960	2,59
02-0072	120	10		1200	3,24
02-0145	120	12		1440	3,89
02-0092	120	15		1800	4,86
02-0073	120	20		2400	6,48
02-0074	120	30		3600	9,72
02-0118	140	5		700	1,89
02-0136	140	8		1120	3,02
02-0136	140	8		1120	3,02
02-0118	140	5		700	1,89
02-0074	120	30		3600	9,72
02-0073	120	20		2400	6,48
02-0092	120	15		1800	4,86
02-0146	150	4		600	1,62
02-0075	150	5		750	2,03
02-0077	150	8		1200	3,24
02-0078	150	10		1500	4,05
02-0161	150	12		1800	4,86
02-0096	150	15		2250	6,08
02-0079	150	20		3000	8,10
02-0080	160	10		1600	4,32
02-0144	160	12		1920	5,18
02-0163	160	15		2400	6,48
02-0081	180	10		1800	4,86
02-0153	180	12		2160	5,83
02-0119	180	15		2700	7,29
02-0082	200	5		1000	2,70
02-0166	200	6		1200	3,24
02-0083	200	8		1600	4,32
02-0084	200	10		2000	5,40
02-0085	200	15		3000	8,10
02-0086	200	20		4000	10,80
02-0087	250	8		2000	5,40
02-0088	250	10		2500	6,75



Rundstangen

Notes:


* The weight of each profile is calculated by measuring it's cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.

*** Radii less than 1mm are not stated.

* Additional charge

D = Diameter



Profile Code	D (mm)				Area Flaeche (mm ²)	Weight Gewicht (Kg/m)
03-0035	6	*			28	0,08
03-0026	7	*			38	0,10
03-0000	8				50	0,14
03-0034	9				64	0,17
03-0001	10				79	0,21
03-0033	11				95	0,26
03-0002	12				113	0,31
03-0036	13,5				143	0,39
03-0037	14				154	0,42
03-0003	15				177	0,48
03-0011	16				201	0,54
03-0016	18				254	0,69
03-0004	20				314	0,85
03-0030	21				346	0,94
03-0017	22				380	1,03
03-0031	24				452	1,22
03-0005	25				491	1,33
03-0028	26				531	1,43
03-0032	28				616	1,66
03-0006	30				707	1,91
03-0018	32				804	2,17
03-0027	33				855	2,31
03-0019	34				908	2,45
03-0012	35				962	2,60
03-0015	36				1018	2,75
03-0020	38				1134	3,06
03-0007	40				1257	3,39
03-0025	41				1320	3,56
03-0021	42				1385	3,74
03-0029	44				1521	4,11
03-0013	45				1590	4,29
03-0008	50				1963	5,30
03-0022	55				2376	6,41
03-0009	60				2827	7,63
03-0023	65				3318	8,96
03-0014	68				3632	9,81
03-0024	70				3848	10,39

Symmetrical L-Profiles (Angles)



P. KOUTSOTHANASSIS & CO
TRADE & IMPORT OF IRON - METALS
WIRES - ELECTRODES - CABLES - WHEELS

ALUMINIUM

standard

Gleichschenklige L-Profil (Winkelprofil)

Notes:

* The weight of each profile is calculated by measuring it's cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.


*** Radii less than 1mm are not stated.

A = Width

A = Height

t = thickness

r¹, r² = Corner radius



Profile Code	A (mm)	A (mm)	t (mm)	r ¹ (mm)	r ² (mm)	Area Flaeche (mm ²)	Weight Gewicht (Kg/m)
04-0056	15	15	1,2			35	0,09
04-0000	15	15	2			56	0,15
04-0001	15	15	3			81	0,22
04-0002	20	20	1,5			58	0,16
04-0003	20	20	2			76	0,21
04-0004	20	20	3			111	0,30
04-0049	20	20	4			144	0,39
04-0005	25	25	1,5			73	0,20
04-0006	25	25	2			96	0,26
04-0007	25	25	3			141	0,38
04-0051	25	25	4			184	0,50
04-0058	30	30	1,5			88	0,24
04-0062	30	30	1,8			105	0,28
04-0008	30	30	2			116	0,31
04-0009	30	30	3			171	0,46
04-0010	30	30	4			224	0,60
04-0040	30	30	5			275	0,74
04-0011	35	35	2			136	0,37
04-0012	35	35	3			201	0,54
04-0013	35	35	4			264	0,71
04-0055	35	35	5			325	0,88
04-0015	40	40	2			156	0,42
04-0014	40	40	3			231	0,62
04-0020	40	40	4			304	0,82
04-0021	40	40	5			375	1,01
04-0016	45	45	2			176	0,48
04-0048	45	45	5			425	1,15
04-0017	50	50	2			196	0,53
04-0018	50	50	3			291	0,79
04-0022	50	50	4			384	1,04
04-0023	50	50	5			475	1,28
04-0039	50	50	6			564	1,52
04-0044	50	50	8			736	1,99
04-0060	50	50	10			900	2,43
04-0019	60	60	2			236	0,64
04-0024	60	60	3			351	0,95
04-0025	60	60	4			464	1,25

Profile Code	A (mm)	A (mm)	t (mm)	r¹ (mm)	r² (mm)	Area Flaeche (mm²)	Weight Gewicht (Kg/m)
04-0026	60	60	5			575	1,55
04-0027	60	60	6			684	1,85
04-0046	60	60	8			896	2,42
04-0053	60	60	10			1100	2,97
04-0052	70	70	5			675	1,82
04-0037	70	70	6			804	2,17
04-0041	70	70	7			931	2,51
04-0059	75	75	5			725	1,96
04-0045	80	80	2			316	0,85
04-0028	80	80	3			471	1,27
04-0043	80	80	4			624	1,68
04-0029	80	80	5			775	2,09
04-0030	80	80	6			924	2,49
04-0031	80	80	8			1216	3,28
04-0050	80	80	10			1500	4,05
04-0061	80	80	12			1776	4,80
04-0032	100	100	4			784	2,12
04-0054	100	100	5			975	2,63
04-0047	100	100	6			1164	3,14
04-0033	100	100	8			1536	4,15
04-0036	100	100	10			1900	5,13
04-0034	120	120	8			1856	5,01
04-0035	120	120	10			2300	6,21
04-0042	120	120	12			2736	7,39

Asymmetrical L-Profiles (Angles)



P. KOUTSOTHANASSIS & CO
 TRADE & IMPORT OF IRON - METALS
 WIRES - ELECTRODES - CABLES - WHEELS

ALUMINIUM

standard

Ungleichschenklige L-Profil (Winkelprofil)

Notes:

* The weight of each profile is calculated by measuring its cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.


*** Radii less than 1mm are not stated.

A = Height

B = Width

t = thickness

r¹, r² = Corner radius



Profile Code	A (mm)	B (mm)	t (mm)	r ¹ (mm)	r ² (mm)	Area Flaeche (mm ²)	Weight Gewicht (Kg/m)
05-0105	15	10	2			46	0,12
05-0000	20	10	2			56	0,15
05-0001	20	15	2			66	0,18
05-0084	25	10	2			66	0,18
05-0002	25	15	2			76	0,21
05-0003	25	20	2			86	0,23
05-0103	25	20	3			126	0,34
05-0004	30	10	2			76	0,21
05-0005	30	15	2			86	0,23
05-0006	30	20	2			96	0,26
05-0007	30	20	3			141	0,38
05-0134	30	20	4			184	0,50
05-0085	35	10	2			86	0,23
05-0095	35	15	3			141	0,38
05-0008	35	20	2			106	0,29
05-0096	35	20	3			156	0,42
05-0009	35	25	2			116	0,31
05-0115	35	25	3			171	0,46
05-0010	40	15	2			106	0,29
05-0011	40	20	2			116	0,31
05-0012	40	20	3			171	0,46
05-0013	40	20	4			224	0,60
05-0083	40	20	5			275	0,74
05-0123	40	25	2			126	0,34
05-0014	40	25	3			186	0,50
05-0015	40	30	2			136	0,37
05-0016	40	30	3			201	0,54
05-0017	40	30	4			264	0,71
05-0150	45	10	2			106	0,29
05-0018	45	30	3			216	0,58
05-0073	50	15	2			126	0,34
05-0019	50	20	2			136	0,37
05-0113	50	20	3			201	0,54
05-0076	50	25	2			146	0,39
05-0020	50	25	3			216	0,58
05-0021	50	30	2			156	0,42
05-0022	50	30	3			231	0,62

Profile Code	A (mm)	A (mm)	t (mm)	r¹ (mm)	r² (mm)	Area Flaeche (mm²)	Weight Gewicht (Kg/m)
05-0078	50	30	4			304	0,82
05-0030	50	30	5			375	1,01
05-0023	50	40	2			176	0,48
05-0024	50	40	3			261	0,70
05-0077	50	40	4			344	0,93
05-0144	50	45	5			450	1,22
05-0070	55	45	5			475	1,28
05-0142	60	10	2			136	0,37
05-0025	60	20	2			156	0,42
05-0089	60	20	3			231	0,62
05-0133	60	25	2			166	0,45
05-0026	60	30	2			176	0,48
05-0027	60	30	3			261	0,70
05-0149	60	30	4			344	0,93
05-0031	60	30	5			425	1,15
05-0145	60	35	2			186	0,50
05-0028	60	40	2			196	0,53
05-0029	60	40	3			291	0,79
05-0032	60	40	4			384	1,04
05-0033	60	40	5			475	1,28
05-0125	60	40	6			564	1,52
05-0126	60	50	5			525	1,42
05-0118	65	50	4			444	1,20
05-0130	65	50	5			550	1,49
05-0151	70	15	2			166	0,45
05-0141	70	15	3			246	0,66
05-0034	70	20	2			176	0,48
05-0092	70	25	2,5			231	0,62
05-0074	70	30	2			196	0,53
05-0100	70	30	3			291	0,79
05-0094	70	40	2			216	0,58
05-0114	70	40	5			525	1,42
05-0086	70	50	3			351	0,95
05-0081	75	50	4			484	1,31
05-0079	75	50	5			600	1,62
05-0035	80	20	2			196	0,53
05-0124	80	25	2			206	0,56
05-0090	80	25	2,5			256	0,69
05-0036	80	30	3			321	0,87
05-0037	80	40	2			236	0,64
05-0038	80	40	3			351	0,95
05-0039	80	40	4			464	1,25
05-0091	80	40	5			575	1,55
05-0082	80	40	6			684	1,85
05-0068	80	50	2			256	0,69
05-0136	80	50	4			504	1,36
05-0122	80	50	5			625	1,69
05-0152	80	50	6			744	2,01
05-9001	80	60	3			411	1,11
05-0120	80	60	4			544	1,47
05-0067	80	60	6			804	2,17

Profile Code	A (mm)	A (mm)	t (mm)	r¹ (mm)	r² (mm)	Area Flaeche (mm²)	Weight Gewicht (Kg/m)
05-0128	90	40	2			256	0,69
05-0041	100	20	2			236	0,64
05-0137	100	30	2			256	0,69
05-0042	100	30	3			381	1,03
05-0138	100	40	2			276	0,75
05-0043	100	40	3			411	1,11
05-0044	100	40	4			544	1,47
05-0045	100	50	3			441	1,19
05-0046	100	50	5			725	1,96
05-0066	100	50	6			864	2,33
05-0104	100	50	8			1136	3,07
05-0087	100	50	10			1400	3,78
05-0135	100	60	4			624	1,68
05-0047	100	60	6			924	2,49
05-0119	100	60	8			1216	3,28
05-0117	100	64	8			1248	3,37
05-0116	100	70	2			336	0,91
05-0146	100	70	4			664	1,79
05-0099	100	80	4			704	1,90
05-0069	100	80	6			1044	2,82
05-0148	110	30	2			276	0,75
05-0097	120	20	2			276	0,75
05-0050	120	40	3			471	1,27
05-0071	120	40	4			624	1,68
05-0051	120	50	5			825	2,23
05-0052	120	60	6			1044	2,82
05-0053	120	60	8			1376	3,72
05-0054	120	80	3			591	1,60
05-0072	120	80	10			1900	5,13
05-0080	120	80	15			2775	7,49
05-0088	125	85	8			1616	4,36
05-0143	130	30	3			471	1,27
05-0140	130	80	8			1616	4,36
05-0131	135	40	3			516	1,39
05-0132	135	40	6			1014	2,74
05-0139	135	100	5			1150	3,11
05-0055	140	40	3			531	1,43
05-0056	150	50	4			784	2,12
05-0098	150	50	5			975	2,63
05-0057	150	75	8			1736	4,69
05-0121	150	80	6			1344	3,63
05-0058	150	100	5			1225	3,31
05-0129	150	100	10			2400	6,48
05-0059	160	40	3			591	1,60
05-0147	160	40	4			784	2,12
05-0106	160	50	3			621	1,68
05-0060	180	40	3			651	1,76
05-0127	180	40	4			864	2,33
05-0101	180	70	10			2400	6,48
05-0093	180	80	10			2500	6,75
05-0061	200	40	3			711	1,92

Profile Code	A (mm)	A (mm)	t (mm)	r¹ (mm)	r² (mm)	Area Flaeche (mm²)	Weight Gewicht (Kg/m)
05-0107	200	40	4			944	2,55
05-0062	200	100	10			2900	7,83
05-0108	220	40	3			771	2,08
05-0109	220	40	4			1024	2,76
05-0110	240	40	3			831	2,24
05-0111	240	40	4			1104	2,98



T-Profile

Notes:

* The weight of each profile is calculated by measuring its cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.

*** Radii less than 1mm are not stated.


* Additional charge

A = Width

B = Height

t = thickness

r = Corner radius



Profile Code	B Height (mm)	A Width (mm)	t (mm)	r (mm)	Area Flaeche (mm²)	Weight Gewicht (Kg/m)
06-0031	15	15	2		56	0,15
06-0012	20	20	2		76	0,21
06-0017	25	25	3		141	0,38
06-0026	25	40	2		126	0,34
06-0030	30	30	2		116	0,31
06-0018	30	30	3		171	0,46
06-0027	40	30	3		201	0,54
06-0016	40	40	3		231	0,62
06-0001	40	40	4		304	0,82
06-0029	40	60	3		291	0,79
06-0023	50	50	3		291	0,79
06-0004	50	50	4		384	1,04
06-0011	50	70	1,8		213	0,57
06-0010	50	80	2		256	0,69
06-0009	50	100	2		296	0,80
06-0025	50	100	10		1400	3,78
06-0015	50	120	2		336	0,91
06-0022	50	140	2		376	1,02
06-0000	60	30	4		344	0,93
06-0028	60	40	5		475	1,28
06-0037	60	60	3		351	0,95
06-0005	60	60	4		464	1,25
06-0006	60	60	6		684	1,85
06-0014	60	100	5		775	2,09
06-0033	70	60	4		504	1,36
06-0032	70	70	3		411	1,11
06-0039	70	70	5		675	1,82
06-0020	80	50	4		504	1,36
06-0003	80	50	5		625	1,69
06-0019	80	80	3		471	1,27
06-0034	80	80	5		775	2,09
06-0008	80	80	6		924	2,49
06-0038	80	120	8		1536	4,15
06-0007	100	60	5		775	2,09
06-0013	100	100	2	*	396	1,07
06-0021	100	100	6		1164	3,14
06-0024	100	100	10		1900	5,13

U-Profiles (U-Channels)



P. KOUTSOTHANASSIS & CO
 TRADE & IMPORT OF IRON - METALS
 WIRES - ELECTRODES - CABLES - WHEELS

ALUMINIUM

standard

U-Profile

Notes:

* The weight of each profile is calculated by measuring it's cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70


** Alloy and Length is subject to customer's request.

*** Radii less than 1mm are not stated.

A = Width

B = Height

t = thickness



Profile Code	B (mm)	A (mm)	B (mm)	t (mm)	Area Flaeche (mm ²)	Weight Gewicht (Kg/m)
07-0079	10	10	10	1,5	41	0,11
07-0055	10	10	10	2	52	0,14
07-0037	10	20	10	2	72	0,19
07-0063	12	25	12	2	90	0,24
07-0005	15	15	15	2	82	0,22
07-0057	15	30	15	2	112	0,30
07-0085	20	10	20	2	92	0,25
07-0095	20	15	20	2	102	0,28
07-0064	20	20	20	1,5	86	0,23
07-0000	20	20	20	2	112	0,30
07-0084	20	20	20	3	162	0,44
07-0006	20	25	20	2	122	0,33
07-0001	20	30	20	2	132	0,36
07-0007	20	35	20	2	142	0,38
07-0008	20	40	20	2	152	0,41
07-0081	20	40	20	2,5	188	0,51
07-0083	20	40	20	3	222	0,60
07-0009	20	45	20	2	162	0,44
07-0053	20	50	20	2	172	0,46
07-0049	20	60	20	2	192	0,52
07-0041	20	80	20	2	232	0,63
07-0040	20	100	20	2	272	0,73
07-0038	20	120	20	2	312	0,84
07-0070	25	15	25	1,5	93	0,25
07-0002	25	25	25	2	142	0,38
07-0010	25	25	25	3	207	0,56
07-0086	25	35	25	2	162	0,44
07-0091	25	50	25	3	282	0,76
07-0094	25	55	25	2	202	0,55
07-0003	30	20	30	2	152	0,41
07-0050	30	30	30	2	172	0,46
07-0004	30	30	30	3	252	0,68
07-0011	30	40	30	3	282	0,76
07-0078	30	45	30	4	388	1,05
07-0012	30	50	30	2	212	0,57
07-0013	30	50	30	3	312	0,84
07-0014	30	50	30	4	408	1,10

Profile Code	B (mm)	A (mm)	B (mm)	t (mm)	Area Flaeche (mm²)	Weight Gewicht (Kg/m)
07-0092	30	50	30	5	500	1,35
07-0015	30	60	30	3	342	0,92
07-0080	30	60	30	4	448	1,21
07-0052	30	80	30	3	402	1,09
07-0071	30	90	30	2	292	0,79
07-0072	30	120	30	2	352	0,95
07-0073	30	140	30	2	392	1,06
07-0077	35	25	35	2	182	0,49
07-0074	35	30	35	2	192	0,52
07-0016	35	35	35	2	202	0,55
07-0043	35	58	35	2	248	0,67
07-0018	40	20	40	2	192	0,52
07-0082	40	20	40	2,5	238	0,64
07-0019	40	25	40	2	202	0,55
07-0034	40	30	40	2	212	0,57
07-0042	40	30	40	3	312	0,84
07-0051	40	40	40	2	232	0,63
07-0020	40	40	40	3	342	0,92
07-0021	40	40	40	4	448	1,21
07-0044	40	50	40	4	488	1,32
07-0101	40	50	40	5	600	1,62
07-0022	40	60	40	3	402	1,09
07-0023	40	60	40	4	528	1,43
07-0036	40	60	40	5	650	1,76
07-0056	40	80	40	3	462	1,25
07-0075	40	80	40	4	608	1,64
07-0098	40	90	40	3	492	1,33
07-0017	40	100	40	3	522	1,41
07-0062	40	100	40	4	688	1,86
07-0100	40	106	40	3	540	1,46
07-0039	40	120	40	3	582	1,57
07-0096	45	55	45	2	282	0,76
07-0035	50	30	50	3	372	1,00
07-0047	50	40	50	2	272	0,73
07-0088	50	50	50	2	292	0,79
07-0025	50	50	50	3	432	1,17
07-0026	50	50	50	4	568	1,53
07-0027	50	50	50	5	700	1,89
07-0028	50	80	50	3	522	1,41
07-0059	50	80	50	5	850	2,30
07-0029	50	90	50	3	552	1,49
07-0058	50	100	50	3	582	1,57
07-0060	50	100	50	4	768	2,07
07-0024	50	100	50	5	950	2,57
07-0087	50	150	50	16	3488	9,42
07-0099	55	65	55	2,5	425	1,15
07-0093	55	120	55	10	2100	5,67
07-0067	60	30	60	2	292	0,79
07-0097	60	30	60	3	432	1,17
07-0048	60	40	60	5	750	2,03
07-0030	60	60	60	3	522	1,41

Profile Code	B (mm)	A (mm)	B (mm)	t (mm)	Area Flaeche (mm²)	Weight Gewicht (Kg/m)
07-0046	60	60	60	4	688	1,86
07-0031	60	60	60	5	850	2,30
07-0061	63	125	63	6	1434	3,87
07-0068	60	120	60	8	1792	4,84
07-0069	60	140	60	6	1488	4,02
07-0066	70	62	70	5	960	2,59
07-0045	75	80	75	5	1100	2,97
07-0065	80	72	80	5	1110	3,00
07-0032	80	80	80	4	928	2,51
07-0076	80	80	80	5	1150	3,11
07-0089	80	125	80	8	2152	5,81
07-0033	80	160	80	8	2432	6,57
07-0090	85	85	85	3	747	2,02
07-0054	100	100	100	5	1450	3,92



Z-Profile

Notes:

* The weight of each profile is calculated by measuring it's cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.


*** Radii less than 1mm are not stated.

A₁ = Width 1

A₂ = Width 2

B = Height

t = thickness



Profile Code	A ₁ (mm)	B (mm)	A ₂ (mm)	t (mm)	Area Flaeche (mm ²)	Weight Gewicht (Kg/m)
08-0005	15	15	15	2	82	0,22
08-0006	15	20	15	2	92	0,25
08-0004	18	43	18	3	219	0,59
08-0000	20	20	20	2	112	0,30
08-0007	25	25	25	2	142	0,38
08-0008	30	30	30	2	172	0,46
08-0001	30	30	30	3	252	0,68
08-0003	30	40	30	3	282	0,76
08-0009	40	30	40	2	212	0,57
08-0002	40	40	40	3	342	0,92



Vierkantrohre

Notes:

* The weight of each profile is calculated by measuring it's cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.


*** Radii less than 1mm are not stated.

* Additional charge

A = Width

A = Height

t = Thickness



Profile Code	A (mm)	t (mm)			Area Flaeche (mm ²)	Weight Gewicht (Kg/m)
09-0054	10	1,5			51	0,14
09-0004	15	1,5			81	0,22
09-0005	15	2			104	0,28
09-0006	20	1,5			111	0,30
09-0010	20	2			144	0,39
09-0051	20	3			204	0,55
09-0007	25	1,5			141	0,38
09-0008	25	2			184	0,50
09-0009	25	3			264	0,71
09-0040	30	1,5			171	0,46
09-0011	30	1,8			203	0,55
09-0000	30	2			224	0,60
09-0001	30	3			324	0,87
09-0002	35	2			264	0,71
09-0049	35	3			384	1,04
09-0050	35	4			496	1,34
09-0003	40	1,5			231	0,62
09-0012	40	2			304	0,82
09-0013	40	2,5			375	1,01
09-0014	40	3			444	1,20
09-0015	40	4			576	1,56
09-0044	40	5			700	1,89
09-0016	45	2			344	0,93
09-0017	50	2			384	1,04
09-0056	50	2,5			475	1,28
09-0018	50	3			564	1,52
09-0019	50	4			736	1,99
09-0020	50	5			900	2,43
09-0042	60	1,5			351	0,95
09-0021	60	2			464	1,25
09-0022	60	3			684	1,85
09-0023	60	4			896	2,42
09-0046	60	5			1100	2,97
09-0024	70	2			544	1,47
09-0052	70	3			804	2,17
09-0025	70	4			1056	2,85
09-0026	80	2			624	1,68

Profile Code	A (mm)	t (mm)			Area Flaeche (mm²)	Weight Gewicht (Kg/m)
09-0027	80	3			924	2,49
09-0028	80	4			1216	3,28
09-0029	80	5			1500	4,05
09-0047	80	6			1776	4,80
09-0039	89	3,5			1197	3,23
09-0053	85	4			1296	3,50
09-0030	90	4			1376	3,72
09-0043	90	5			1700	4,59
09-0031	100	2	*		784	2,12
09-0032	100	3			1164	3,14
09-0033	100	4			1536	4,15
09-0034	100	5			1900	5,13
09-0057	100	6			2256	6,09
09-0038	120	2	*		944	2,55
09-0035	120	2,5	*		1175	3,17
09-0036	120	4			1856	5,01
09-0037	120	5			2300	6,21
09-0048	145	3			1704	4,60
09-0055	150	3			1764	4,76
09-0041	150	5			2900	7,83

Rectangular tubes



P. KOUTSOTHANASSIS & CO
 TRADE & IMPORT OF IRON - METALS
 WIRES - ELECTRODES - CABLES - WHEELS

ALUMINIUM
standard

Rechteckrohre

Notes:

* The weight of each profile is calculated by measuring its cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.


*** Radii less than 1mm are not stated.

* Additional charge

A = Width

B = Height

t = thickness



Profile Code	A (mm)	B (mm)	t (mm)	Area Flaeche (mm ²)	Weight Gewicht (Kg/m)
10-0100	20	10	1,2	66	0,18
10-0014	20	10	1,5	81	0,22
10-0015	20	10	2	104	0,28
10-0131	20	15	1,5	96	0,26
10-0016	20	15	2	124	0,33
10-0017	25	15	1,5	111	0,30
10-0018	25	15	2	144	0,39
10-0134	25	20	1,5	126	0,34
10-0167	25	20	2	164	0,44
10-0000	30	10	1,5	111	0,30
10-0097	30	10	2	144	0,39
10-0099	30	15	1,5	126	0,34
10-0001	30	15	2	164	0,44
10-0002	30	20	1,5	141	0,38
10-0003	30	20	2	184	0,50
10-0148	30	20	3	264	0,71
10-0145	30	25	3	294	0,79
10-0133	35	15	2	184	0,50
10-0154	35	20	1,5	156	0,42
10-0004	35	20	2	204	0,55
10-0168	35	25	1,5	171	0,46
10-0125	35	25	2	224	0,60
10-0005	40	10	2	184	0,50
10-0006	40	15	2	204	0,55
10-0019	40	20	1,2	138	0,37
10-0007	40	20	1,5	171	0,46
10-0008	40	20	2	224	0,60
10-0020	40	20	3	324	0,87
10-0009	40	25	1,5	186	0,50
10-0010	40	25	2	244	0,66
10-0127	40	25	3	354	0,96
10-0011	40	30	2	264	0,71
10-0021	40	30	3	384	1,04
10-0132	40	30	4	496	1,34
10-0152	45	20	2	244	0,66
10-0105	45	25	2	264	0,71
10-0112	45	34	3	438	1,18

Profile Code	A (mm)	B (mm)	t (mm)		Area Flaeche (mm²)	Weight Gewicht (Kg/m)
10-0022	50	15	2		244	0,66
10-0120	50	20	1,5		201	0,54
10-0012	50	20	2		264	0,71
10-0023	50	20	3		384	1,04
10-0126	50	25	1,5		216	0,58
10-0013	50	25	2		284	0,77
10-0110	50	25	3		414	1,12
10-0024	50	30	2		304	0,82
10-0159	50	30	2,5		375	1,01
10-0025	50	30	3		444	1,20
10-0146	50	34	3		468	1,26
10-0026	50	40	2		344	0,93
10-0027	50	40	2,5		425	1,15
10-0028	50	40	3		504	1,36
10-0029	50	40	4		656	1,77
10-0143	60	15	2		284	0,77
10-0030	60	20	1,5		231	0,62
10-0031	60	20	2		304	0,82
10-0135	60	20	3		444	1,20
10-0032	60	20	4		576	1,56
10-0033	60	25	2		324	0,87
10-0115	60	25	3		474	1,28
10-0111	60	30	1,5		261	0,70
10-0034	60	30	2		344	0,93
10-0035	60	30	3		504	1,36
10-0036	60	30	4		656	1,77
10-0140	60	34	3		528	1,43
10-0037	60	40	2		384	1,04
10-0038	60	40	2,5		475	1,28
10-0039	60	40	3		564	1,52
10-0040	60	40	4		736	1,99
10-0165	60	40	5		900	2,43
10-0138	60	50	2		424	1,14
10-0041	60	50	3		624	1,68
10-0042	60	50	4		816	2,20
10-0155	65	20	2		324	0,87
10-0149	70	20	1,5		261	0,70
10-0137	70	20	2		344	0,93
10-0160	70	30	3		564	1,52
10-0043	70	40	3		624	1,68
10-0163	70	40	4		816	2,20
10-0164	75	35	2,5		525	1,42
10-0156	75	45	2		464	1,25
10-0044	80	20	1,5		291	0,79
10-0045	80	20	2		384	1,04
10-0170	80	25	2		404	1,09
10-0046	80	30	2		424	1,14
10-0047	80	30	3		624	1,68
10-0169	80	30	4		816	2,20
10-0048	80	40	1,5		351	0,95
10-0049	80	40	2		464	1,25

Profile Code	A (mm)	B (mm)	t (mm)		Area Flaeche (mm²)	Weight Gewicht (Kg/m)
10-0050	80	40	2,5		575	1,55
10-0051	80	40	3		684	1,85
10-0052	80	40	4		896	2,42
10-0053	80	50	2		504	1,36
10-0054	80	50	3		744	2,01
10-0055	80	50	4		976	2,64
10-0056	80	60	3		804	2,17
10-0057	80	60	4		1056	2,85
10-0128	80	70	5		1400	3,78
10-0123	85	30	2		444	1,20
10-0117	90	40	3		744	2,01
10-0124	100	18	1,8		412	1,11
10-0151	100	18	2		456	1,23
10-0058	100	20	2		464	1,25
10-0059	100	25	2		484	1,31
10-0104	100	30	2		504	1,36
10-0060	100	30	3		744	2,01
10-0119	100	40	2		544	1,47
10-0061	100	40	3		804	2,17
10-0062	100	40	4		1056	2,85
10-0063	100	50	2		584	1,58
10-0064	100	50	3		864	2,33
10-0065	100	50	4		1136	3,07
10-0102	100	50	5		1400	3,78
10-0118	100	60	2,5		775	2,09
10-0066	100	60	3		924	2,49
10-0067	100	60	4		1216	3,28
10-0136	100	60	5		1500	4,05
10-0068	100	80	3		1044	2,82
10-0108	120	18	2		536	1,45
10-0069	120	20	2		544	1,47
10-0121	120	30	3		864	2,33
10-0070	120	40	2		624	1,68
10-0071	120	40	4		1216	3,28
10-0109	120	50	3		984	2,65
10-0072	120	50	4		1296	3,50
10-0073	120	60	3		1044	2,82
10-0074	120	60	4		1376	3,72
10-0075	120	80	3		1164	3,14
10-0147	120	90	2		824	2,22
10-0113	130	30	3		924	2,49
10-0076	130	50	4		1376	3,72
10-0077	140	18	2		616	1,66
10-0078	140	40	4		1376	3,72
10-0098	140	60	2,5		975	2,63
10-0114	140	60	4		1536	4,15
10-0130	140	60	8		2944	7,95
10-0079	140	80	4		1696	4,58
10-0101	150	18	2		656	1,77
10-0107	150	30	2		704	1,90
10-0103	150	30	2,5		875	2,36

Profile Code	A (mm)	B (mm)	t (mm)		Area Flaeche (mm²)	Weight Gewicht (Kg/m)
10-0080	150	40	4		1456	3,93
10-0081	150	50	2		784	2,12
10-0106	150	50	3		1164	3,14
10-0082	150	50	4		1536	4,15
10-0139	150	50	5		1900	5,13
10-0122	150	50	6		2256	6,09
10-0083	150	60	3		1224	3,30
10-0161	150	60	4		1616	4,36
10-0084	150	60	5		2000	5,40
10-0158	150	80	4		1776	4,80
10-0085	150	100	3		1464	3,95
10-0141	150	120	5		2600	7,02
10-0086	160	40	2	*	784	2,12
10-0162	160	40	4		1536	4,15
10-0087	160	60	4		1696	4,58
10-0088	160	60	5		2100	5,67
10-0089	160	80	4		1856	5,01
10-0166	180	18	2		776	2,10
10-0090	180	40	4		1696	4,58
10-0091	180	50	4		1776	4,80
10-0092	180	60	3		1404	3,79
10-9001	180	60	4		1856	5,01
10-0093	180	80	4		2016	5,44
10-0142	200	18	2		856	2,31
10-0153	200	30	2,8	*	1257	3,39
10-0116	200	40	3		1404	3,79
10-0094	200	50	2,5		1225	3,31
10-0095	200	50	4		1936	5,23
10-0096	200	60	4		2016	5,44
10-0144	200	65	3		1554	4,20



Rundrohre

Notes:

* The weight of each profile is calculated by measuring it's cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.


*** Radii less than 1mm are not stated.

* Additional charge

D = Outer Diameter

d = Inner diameter

t = thickness



Profile Code	D (mm)	d (mm)	t (mm)		Area Flaeche (mm ²)	Weight Gewicht (Kg/m)
11-0073	8	6	1	*	22	0,06
11-0078	10	8	1	*	28	0,08
11-0125	10	7	1,5		40	0,11
11-0061	10	6	2		50	0,14
11-0136	10	6	3		50	0,14
11-0145	11	9	1	*	31	0,08
11-0091	12	10	1	*	35	0,09
11-0157	12	9	1,5	*	49	0,13
11-0062	12	8	2		63	0,17
11-0117	13	11	1	*	38	0,10
11-0108	13	9	2		69	0,19
11-0129	14	12	1	*	41	0,11
11-0072	14	10	2		75	0,20
11-0077	15	13	1	*	44	0,12
11-0090	15	11	2		82	0,22
11-9004	16	14	1	*	47	0,13
11-0063	16	12	2		88	0,24
11-0096	16	11	2,5		106	0,29
11-0144	16	10	3		123	0,33
11-0146	17	10	3,5		148	0,40
11-0070	18	14	2		101	0,27
11-0131	19	17	1	*	57	0,15
11-0158	19	16	1,5		82	0,22
11-0133	19	15	2		107	0,29
11-0107	20	18	1	*	60	0,16
11-0082	20	17	1,5		87	0,24
11-0000	20	16	2		113	0,31
11-0149	20	15	2,5		137	0,37
11-0001	20	14	3		160	0,43
11-0067	20	12	4		201	0,54
11-0075	20	10	5		236	0,64
11-0115	22	20	1	*	66	0,18
11-0074	22	18	2		126	0,34
11-9005	23	21	1	*	69	0,19
11-0097	25	23	1	*	75	0,20
11-9006	25	22,6	1,2	*	90	0,24
11-0069	25	22	1,5		111	0,30

Profile Code	D (mm)	d (mm)	t (mm)		Area Flaeche (mm²)	Weight Gewicht (Kg/m)
11-0002	25	21	2		145	0,39
11-0003	25	19	3		207	0,56
11-0084	25	15	5		314	0,85
11-0098	28	26	1	*	85	0,23
11-0086	28	24	2		163	0,44
11-0080	30	27	1,5		134	0,36
11-0004	30	26	2		176	0,48
11-0005	30	24	3		254	0,69
11-0132	30	22	4		327	0,88
11-0011	30	20	5		393	1,06
11-0099	32	30	1	*	97	0,26
11-0151	32	29	1,5		144	0,39
11-0012	32	28	2		188	0,51
11-0155	32	25	3,5		313	0,85
11-0148	35	33	1	*	107	0,29
11-9001	35	32,4	1,3	*	138	0,37
11-0006	35	31	2		207	0,56
11-0066	35	30	2,5		255	0,69
11-0007	35	29	3		302	0,81
11-0126	35	27	4		390	1,05
11-0013	35	25	5		471	1,27
11-0138	37,5	29,5	4		421	1,14
11-0123	38	36	1	*	116	0,31
11-0134	38	34	2		226	0,61
11-0119	38	30	4		427	1,15
11-9007	40	37,6	1,2	*	146	0,39
11-0014	40	37	1,5		181	0,49
11-0008	40	36	2		239	0,64
11-0094	40	35	2,5		295	0,80
11-0009	40	34	3		349	0,94
11-0015	40	32	4		452	1,22
11-0016	40	30	5		550	1,48
11-0121	40	28	6		641	1,73
11-0017	42	36	3		368	0,99
11-0010	45	41	2		270	0,73
11-0127	45	40	2,5		334	0,90
11-0018	45	39	3		396	1,07
11-0093	45	35	5		628	1,70
11-0103	46	33	6,5		807	2,18
11-0019	48	44	2		289	0,78
11-0128	48	43	2,5		357	0,96
11-0020	48	42	3		424	1,15
11-0021	48	40	4		553	1,49
11-9008	48,3	43,3	2,5		360	0,97
11-0118	48,3	40,7	3,8		531	1,43
11-0089	50	48	1	*	154	0,42
11-0022	50	47	1,5	*	229	0,62
11-0023	50	46	2		302	0,81
11-0024	50	45	2,5		373	1,01
11-0025	50	44	3		443	1,20
11-0026	50	42	4		578	1,56

Profile Code	D (mm)	d (mm)	t (mm)		Area Fläche (mm²)	Weight Gewicht (Kg/m)
11-0027	50	40	5		707	1,91
11-0064	50	30	10		1257	3,39
11-9002	50	26	12		1433	3,87
11-0095	50	20	15		1649	4,45
11-0140	53	47	3		471	1,27
11-0076	55	51	2		333	0,90
11-0083	55	50	2,5		412	1,11
11-0102	55	45	5		785	2,12
11-0028	60	57	1,5	*	276	0,74
11-0029	60	56	2		364	0,98
11-0030	60	55	2,5		452	1,22
11-0031	60	54	3		537	1,45
11-0032	60	52	4		704	1,90
11-0154	60	30	15		2121	5,73
11-0156	60	40	10		1571	4,24
11-0033	60	50	5		864	2,33
11-0081	60	20	20		2513	6,79
11-0065	62,5	58,5	2		380	1,03
11-0120	63	53	5		911	2,46
11-0034	65	61	2		396	1,07
11-0035	65	60	2,5		491	1,33
11-0104	65	55	5		942	2,54
11-0079	65	50	7,5		1355	3,66
11-0147	65	25	20		2827	7,63
11-0036	70	66	2		427	1,15
11-0037	70	64	3		631	1,70
11-0101	70	62	4		829	2,24
11-0038	70	60	5		1021	2,76
11-0110	70	54	8		1558	4,21
11-0150	70	50	10		1885	5,09
11-0113	70	30	20		3142	8,48
11-0039	75	70	2,5		569	1,54
11-0040	75	65	5		1100	2,97
11-0071	75	45	15		2827	7,63
11-0153	75,5	69	3,25		738	1,99
11-0137	76	71	2,5		577	1,56
11-0068	76	70	3		688	1,86
11-0041	80	76	2	*	490	1,32
11-0105	80	75	2,5		609	1,64
11-0042	80	74	3		726	1,96
11-0092	80	72	4		955	2,58
11-0043	80	70	5		1178	3,18
11-0088	83	73	5		1225	3,31
11-0044	90	85	2,5		687	1,86
11-0087	90	84	3		820	2,21
11-0045	90	80	5		1335	3,60
11-9009	93	89	2		572	1,54
11-0046	100	96	2	*	616	1,66
11-0047	100	94	3	*	914	2,47
11-0048	100	92	4		1206	3,26
11-0049	100	90	5		1492	4,03

Profile Code	D (mm)	d (mm)	t (mm)		Area Flaeche (mm²)	Weight Gewicht (Kg/m)
11-0122	100	80	10		2827	7,63
11-0114	106	100	3	*	971	2,62
11-0050	108	102	3	*	990	2,67
11-0051	108	100	4		1307	3,53
11-0052	108	98	5		1618	4,37
11-0053	110	100	5		1649	4,45
11-0054	120	116	2	*	741	2,00
11-0055	120	114	3	*	1103	2,98
11-0111	120	112	4		1458	3,94
11-0056	120	110	5		1806	4,88
11-0109	125	120	2,5	*	962	2,60
11-0100	125	119	3	*	1150	3,10
11-0124	125	117	4		1521	4,11
11-0139	125	110	7,5		2769	7,48
11-0152	130	124	3	*	1197	3,23
11-0085	130	120	5		1963	5,30
11-0116	133	127	3	*	1225	3,31
11-0142	138	132	3	*	1272	3,44
11-0141	140	136	2	*	867	2,34
11-0057	140	130	5		2121	5,73
11-0112	145	137	4		1772	4,78
11-0058	150	146	2	*	930	2,51
11-0059	150	144	3	*	1385	3,74
11-0060	150	140	5		2278	6,15
11-0130	160	150	5		2435	6,57
11-0106	180	170	5		2749	7,42

Square tubes with rounded corners



P. KOUTSOTHANASSIS & CO
 TRADE & IMPORT OF IRON - METALS
 WIRES - ELECTRODES - CABLES - WHEELS

ALUMINIUM
standard

Vierkantrohre mit gerundeten Ecken

Notes:

* The weight of each profile is calculated by measuring it's cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.


*** Radii less than 1mm are not stated.

A = Width

A = Height

t = thickness

r = Corner radius



Profile Code	A (mm)	t (mm)	r ^(***) (mm)	Area Flaeche (mm ²)	Weight Gewicht (Kg/m)
12-0012	20	1,5	2	108	0,29
12-0000	25	2	2	181	0,49
12-0008	25	2,5	2	222	0,60
12-0001	30	2	2	221	0,60
12-0010	30	3	3	316	0,85
12-0007	30	4	5,5	390	1,05
12-0002	40	2	2	301	0,81
12-0006	40	2,5	2	372	1,00
12-0009	40	2,5	4	361	0,98
12-0013	50	3	2	561	1,51
12-0014	50	3	3	556	1,50
12-0011	60	3	3	676	1,83
12-0004	80	4	6	1185	3,20

Rectangular tubes with rounded corners



P. KOUTSOTHANASSIS & CO
 TRADE & IMPORT OF IRON - METALS
 WIRES - ELECTRODES - CABLES - WHEELS

ALUMINIUM

standard

Rechteckrohre mit gerundeten Ecken

Notes:

* The weight of each profile is calculated by measuring it's cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.


*** Radii less than 1mm are not stated.

A = Height

B = Width

t = thickness

r = Corner radius



Profile Code	B (mm)	A (mm)	t (mm)	r(***) (mm)	Area Flaeche (mm ²)	Weight Gewicht (Kg/m)
13-9001	25	15	2	3	136	0,37
13-0000	30	20	2	2	181	0,49
13-0001	35	25	2	2	221	0,60
13-0002	40	20	2	2	221	0,60
13-0010	40	25	2	5	223	0,60
13-0011	40	30	2	5	243	0,65
13-0012	50	30	2	2	301	0,81
13-0007	60	40	2	2	381	1,03
13-0006	60	40	2,5	2	472	1,27
13-0004	60	40	3	3	556	1,50
13-0009	80	30	3	3	616	1,66
13-0008	80	60	4	6	1025	2,77